

EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES

**Samples of Motors included on this list have been checked for compliance to EFRA 2017 Rules:
For Brushless 'Spec.' 10.5T Motors.**

**Starting 01.06.16, only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:
The Motor Class designated for the event.**







Whiist sample Motors submitted have been found to conform with EFRA 2017 rules for 'Spec' Brushless Motors, **it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.**

NOTE: These motors differ from Brushless 'Modified' Motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date
Motors below this level must comply with EFRA Rules :- App.3, 2.2 (9) which requires access to the stator to allow measurement and visual appraisal of the laminates. Also 2.2 (7), which requires the Rotor to be marked with Name or Logo & Part #.				
Orion	Vortex Ultimate Stock LW (2016) # ORI28368		Sensored system. "Y" Wind. Full dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41554.	23.01.17
Maclan	MRR Part # MCL1014		Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093.	16.01.17
Tianco	ORCA RT Pt. # OMT105RT		Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR325S1. Option rotors:- ORR --- 425S0, 233SL, 238SL, 253SL, 258SL.	16.01.17
Ruddog	Ruddog RP540 Part # RP-0012		Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2	05.09.16
Fenix	Fenix DFV2 Pt. # FM00105-2		Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Laminates.visible. Rotor Part # AP67-B. Option rotor: MF72-B	05.09.16
Corally	Dynospeed Spec. 3.0 Part # C-61100		Sensored system, two ports. "Y" Wind. One end of stator visible but stator removes. Stator has EFRA & wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16
Tekin	Redline Gen3 Part # TT2708		Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
Hobbywing	Xerun V10 G2 Pt # 30101106		Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A	18.01.16
			Option Rotor # 30820015 stamped 7-12.5-U-B	12.12.16
			Option End-Cap, timing +30/+60, Part # 30820054	21.11.16

Reedy	Reedy Sonic M3 - SS 1S Part # 285		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 272. Optional Rotor # 273.	28.12.15 04.04.16
Turnigy	Trackstar V2 Pt # 84388		Sensored system. "Y" Wind. Stator slides from sleeve. Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #. Rotor Part # 919000281	23.11.15
Team Epic	ReVtech 24K Pt # REV1800		Sensored system. "Y" Wind. End-Plate has Revtech etched. Stator sleeve with ReVtech & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring & visible. Rotor with name & Part # TEP1112. Optional rotor # TEP1118	23.11.15 14.11.16
Reedy	Reedy Sonic M3 Part # 256		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 273. Optional Rotor # 272	17.10.15 04.04.16
Motors below this level must comply with EFRA Rule - App.3, 2.2(9), which requires access to the stator to allow measurement and visual appraisal of the laminates.				
King Golden	Speed Passion V4.0 10.5R #SP001230		Sensored system. "Y" Wind. Black End-Plates & Sleeve with wind etched. Nickel sintered rotor with one Purple balance ring, 12.5 dia, 7.1 core. Adjustable timing 0 -40 deg. Has stator access.	9.3.15
PRT Electronic	PRT AIR 10 Part # A10105		Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Nickel finish Rotor with Cyan Alu. balance ring, 12.5 dia, 7.2 core. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor options:- PRT123RSHT Purple/Nickel. PRT125RS2 Grey/Nickel. PRT125RS Grey/Black. PRT123RS Purple/Black. Logo design updated.	19.01.15 14.08.15
Hirosaka	Hirosaka Part # HSK-PRO105T		Sensored system. "Y" Wind. Black metal End-Bell with plastic timing insert. Adjustable timing 0-45. Black Can/Sleeve. Nickel sintered rotor with Purple balance ring, 12.3 dia, 7.1 core. Caps & sleeve remove, has stator access. Stator marked with wind.	15.12.14
EZpower	EZ Kicker EZBR210R		Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ, 12.5 dia, 7.2 core. Caps & sleeve remove, has stator access.	17.11.14
Tianco	ORCA RX3 Part # OMR105X3		Sensored system. "Y" Wind. Black Can & E/Cap. Complete stator removes. Has stator access slots. ORCA RX3 & wind etched on End-Cap. End-Cap Alum., adjustable timing. Rotor with black balance ring 12.4 dia., 7.2 core. Rotor Part # OTR124ST	15.09.14 25.05.15
Trinity	D4 Part # TEP 1700		Sensored system. "Y" Wind. Purple Alu. timing plate with TRINITY & 4 etched. Caps and sleeve dark gun-metal, all parts remove. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing -10 + 60 deg. Has stator access. Optional rotor TEP 1112 approved	15.9.14
Absima	Revenge V2 Part # 2130019		Sensored system. "Y" Wind. Black Alu. Caps & Grey Sleeve, Logo only on End-Plate. Sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind marked on stator. Only V2 version approved	2.7.14

Reds Racing	VX Pt. # MTTE0005		Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Black drilled balance ring # MSTE0010. Optional rotor:- # MSTE0009, MSTE0016	27.05.14 06.07.16
G Force	G Force Super Sonic Pt # G0007		Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, Alu. timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind etched on stator. Option rotor GF400003-54	17.04.14 27.07.15
Team Epic	ReVtech Killshot Pt # REV1600. (Std. Ver.)		Sensored system. "Y" Wind. End-Plate with Revtech etched. Stator sleeve with ReVtech & Wind painted, later versions not depicted with 't'. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing 0-80 deg. Has stator access. Optional rotor TEP 1112 approved.	15.03.14 23.10.10
Hobbywing	Xerun V10 Pt. # 30401020046		Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing -20/+ 50 deg. Stator and wind visible via. sleeve slots. (NOTE: early versions may not comply with stator access requirements).	6.1.14
Mtroniks	MX-1 Pt. # MTMX105		Sensored system. "Y" Wind. Anodised Alum. End-Plates & Stator Sleeve, with wind printed. Fixed timing. Nickel sintered rotor with one hollow balance ring, 12.5 dia, 7.2 core. Stator visible via. Sleeve slots.	6.1.14
Muchmore	FLETA ZX Pt # MR-FZX105		Sensored system. "Y" Wind. Black metal End-Bell with plastic timing plate, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with Blue drilled balance ring. Rotor 7.2 core, 12.3 dia. Optional rotor MRFZR12 allowed. Aluminium timing-plate MR-FZAT fitted to later versions.	29.07.13 05.08.14
Nosram	Pure 2 Evolution Spec. Racing Pt.# 91834		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 90639 approved.	08.07.13 28.12.15
Team Wave	Eclipse # TW2011-105		Sensored system. "Y" Wind. Black Alum. End-Plates. Adj. timing. Black Alum. stator sleeve with wind etched. Nickel sintered rotor with one plain balance ring, 12.5 dia, 7.17 core, marked 125-R. Stator visible via. Sleeve slots.	24.6.13
Tianco	ORCA TX Pt. # OTM 105TX		Sensored system. "Y" Wind. Dull Grey Aluminium casings. Main sleeve removes. Has stator access slots. ORCA TX & wind etched. End-Plate moulded, adjustable timing. 12.5mm Rotor no balance ring, shaft marked 125S-N. Option 123S-N. 12.3mm. Option EndPlate OME111TX allowed. New sensor Ass. CAS-0220TX-30 fitted.	17.06.13 10.03.14 20.07.14
Corally	Corally Pro Silver 10.5T 399105		Sensored system. "Y" Wind. Plain Alum. End-Plates. Adj. timing. Plain Alum. stator sleeve with wind etched. Nickel sintered rotor with one Black balance ring, 12.4 dia, 7.18 core. Stator visible via. Sleeve slots. Also supplied with all Red S/Print decal.	17.6.13
LRP	X20 10.5T Spec. # 50834		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 50639 approved.	22.04.13 28.12.15
Tekin	Redline GEN2 10.5T # TT2399		Sensored system. "Y" Wind. Black Alum. End-Plates, not joined. Adj. timing. Alum. Can with wind etched. Stator visible via. Sleeve holes. Nickel sintered rotor with one brass balance ring. Rotor 7.14 core, 12.5 dia..	1.4.13

Reedy	Reedy Sonic Mach 2 # 234		Sensored system. "Y" Wind. Black metal End-Bell at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core # 956. Optional rotors:- # 954, # 955.	25.3.13
Savox	Savox SX.1 # SAV-BLH3650 991740		Sensored system. "Y" Wind. Aluminium casings. Slot for stator access included. Main sleeve removes, stator spigoted into fixed casing. Saxox X1 & wind etched. End-Plate moulded, adjustable timing. Rotor has no balance ring.	25.3.13
Team Orion	VST2 Pro Stock 10.5. # ORI 28250		Sensored system. "Y" Wind. Grey one-piece Can. Black Aluminium End-Plate retained with five screws, adjustable moulded timing plate. Wind etched. Nickel sintered rotor, 12.5 dia, 7.1 core, no balance rings. Optional 12.4 dia, 7.2 core.	15.2.13
Motors below this level were checked before the implementation of EFRA Rule - App.3, 2.2(9), which requires access to the stator to allow measurement and visual appraisal of the stator laminates. (Some versions do allow stator access).				
Horizon Hobby	Dynamite Platinum 10.5T # DYP 1010		Sensored system. "Y" Wind. Black Alluminium End-Plate at Term. End, with adjustable timing. Wind etched on Term. Sleeve, Stator mould & Stator Lams. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core.	20.8.12
Hobbywing	Xerun Pt. # 90040091		Sensored system. "Y" Wind. Polished Auminium End-Plates, Hobbywing etched. Fixed timing. Blue stator sleeve with 10.5T & Pt.# etched. Sleeve & EndPlates also Gunmeteal colour. Side entry sensor plug. Nickel sintered rotor, 12.4 dia, 7.2 core. Rotor with one balancing ring.	13.8.12
Orion	Vortex VST Pro Stock 10.5. # ORI 28233		Sensored system. "Y" Wind. Grey one-piece Can. Grey End-Plate retained with four screws, adjustable timing. Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core, no balance rings.	16.4.12
Dualsky	Track & Field Z5 10.5T Pt # 53649		Sensored system. "Y" Wind. Silver Sleeve & Mounting-Plate. Z5, 10.5T, Track&Field etched on sleeve. Black Alu. End-Plate & retaining ring. Adjustable timing 7 - 27 deg. Nickel sintered rotor with no balance ring, 12.5 dia, 7.2 core.	16.4.12
Team Epic	ReVtech R-Power Pt # REV1050		Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, ReVtech painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.45 dia, 7.2 core. Adjustable sensor plate timing. Mounting Plate with 3 x 5.9mm slots.	12.3.12
Vampire	Vampire Type AB+ Bloodline Pt. # VR-3105		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Sensor plug horizontal. Light-Red End plates. Wind etched. Nickel sintered rotor with no balance rings, 12.5 dia, 7.21 core.	12.3.12
Graupner	GM Brushless PRO. Pt. # 97410. 2012 version.		Sensored system. "Y" Wind. Alum. Mounting-Plate with 3x5mm holes and 3 radiused slots. Plastic End-Cap with GM moulded. Adj. timing. Gun-Metal stator sleeve with Wind & Pt.# etched. Side entry sensor plug. Nickel rotor marked GM Stock, 12.51 dia, 7.24 core.	31.12.11
Thunder Power	Z3R-S Part # TPM-540A105		Sensored system. "Y" Wind. Black Plastic Moulding at Term. End, with adjustable timing. Red Can/Sleeve with silver end cover. Wind etched on stator. Stator separates. Nickel sintered rotor with drilled red balance ring, 12.25 dia, 7.2 core. Optional Rotors:- Blue or Green balance ring.	17.10.11. 16.04.12.

Reedy	Reedy Sonic Pt. # 943		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Black Can/Sleeve. Wind etched. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core. Later version has more timing graduations detailed & relocated pointer.	04.07.11 09.04.12
Speed Passion	Competition 3.0 MMM Version Pt.# SP000037		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium Sleeve & End-Plates, SP etched. Sleeve with Wind & MMM etched. End-Plates with grooves. Red sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.2 core. Adjustable timing 11-20 deg.	4.7.11
Team Powers	Plutonium Pt.# TP-BLM-105100PL		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal stator sleeve with 10.5T etched. Nickel sintered rotor with no balance ring, 12.32 dia, 7.28 core. Adjustable sensor plate timing.	16.5.11
Viper	Viper VST Pt. # 8VST 105001		Sensored system. "Y" Wind. Red Aluminium End-Plates, VST & 10.5T etched. Black grooved stator sleeve. Black sintered rotor with no balance rings, 12.5 dia, 7.35 core. Adjustable timing.	16.5.11
HPI	Flux Pro. Pt. # 101731		Sensored system. "Y" Wind. Black Aluminium End-Plates, HPI etched. Black stator sleeve with Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core. Adjustable timing. Optional rotor - 12.2 dia, 7.2 core, Nickel pl Optional rotor 107252 - Mag. & shaft Black.	28.03.11 07.05.12
PRT	PRT Limited Edition. Pt.# PRT 2011 105HT DTM		Sensored system. "Y" Wind. Black Aluminium End-Plates, PRT etched. Black stator sleeve with 10.5T etched. Black sintered rotor 12.4 dia, 7.20 core. Optional rotor 12.25 dia., 7.20 core Rotor with one balancing ring. Adjustable timing.	9.2.11
Graupner	GM Brushless PRO. Pt.# 97350 2011 version.		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S10.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.4 dia, 7.22 core. Rotor with one balancing ring.	31.1.11
Speed Passion	3.0 - 10.5R Pt.# SP1C105V3 1Cell		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, SP & 10.5T etched. Gun-Metal stator sleeve with SP10.5T & 1Cell etched. Black sensor board. Black sintered rotor with one balance ring, 12.2 dia, 7.21 core. Adjustable timing 0-10.	31.1.11
Tianco	ORCA RX2 Pt. # OBM105X2		Sensored system. "Y" Wind. Gun-Metal End-Plates, RX2 & 10.5T etched. Gun-Metal sleeve with RX2 & 10.5T etched. Black rotor, one balance ring, 12.2 dia, 7.22 core. Adjustable sensor plate timing. Optional rotor OMA123PX 12.2mm nickel. Mounting Plate 3 x 6mm holes & chamfer.	31.01.11 31.12.11
Trinity	Trinity D3 Pt. # TEP1050		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, Trinity etched. Black stator sleeve with D3 & 10.5T etched. Nickel sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable sensor plate timing.	31.1.11
Dualsky	Track & Field. Pt. # 53352		Sensored system. "Y" Wind. Aluminium End-Plates plus Blue ring. Track & Field moulded on timing plate. Adjustable timing on sensor mounting. Stator sleeve with 10.5 etched. Nickel plated sintered rotor, 12.4 dia, 7.20 core with 21mm Al. fan.	14.6.10
Team Powers	Team Powers Brushless 10.5 Turns Pt. # TPBLM 105100		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. 5 outer timing threads, 3 sensor mount threads. Black & Gold stator sleeves with 10.5T etched. Nickel plated sintered rotor, 12.3 dia, 7.22 core. No balancing rings.	12.4.10

Graupner	GM Brushless PRO. Pt.# 97290 2010 version.		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S10.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	1.2.10
LRP	X12 Vector Stock Spec. Pt.# 50832		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "10.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 50639 12.2, 7.1 core. Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
Nosram	Pure Evolution Spec. Racing Version. Pt.# 91831		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "10.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 90639 12.2, 7.1 core. Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
Speed Passion	3.0 - 10.5R Pt.# SP138105V3		Sensored system. "Y" Wind. Light Gun-Metal Aluminium End-Plates, SP & 10.5T etched. Light Gun-Metal stator sleeve with SP10.5T etched. Black sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable timing 0-10.	5.10.09
Novak	Ballistic Pt. # 3610		Sensored system. "Y" Wind. Black Al. End-Plate with NOVAK etched. Stator sleeve with 10.5T label. Nickel plated sintered rotor, 12.3 dia, 7.22 core. 3/16 Bearing at Pinion end. Blue plastic denoting 10.5. Adjustable timing. Vented End-bells # 5925 approved.	07.09.09 18.06.12
WAVE	WAVE Linear Pt.# TW2001-105		Sensored system. "Y" Wind. Black Aluminium End-Plates with SP etched under label. Black stator sleeve with 10.5T etched. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	16.3.09
Graupner	GM Brushless PRO. Pt.# 97290		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium End-Plates, GM-Racing etched. Dark Gun-Metal stator sleeve with S10.5T & Pt.# etched. Black sintered rotor, 12.3 dia, 7.22 core. Rotor with one balancing ring.	2.3.09
Tekin	Tekin Redline 10.5T Spec. Pt. # TT2253 (Etched Can)		Sensored system. "Y" Wind. Red Aluminium mounting plate. Black moulded End-Bell with Tekin. Grooved Al. bonded stator sleeve with 10.5T etched. Nickle plated sintered rotor, 12.5 dia, 7.26 core. No balance rings.	15.12.08
Speed Passion	Speed Passion Stock Pt. # SPF105		Sensored system. "Y" Wind. Black Aluminium End-Plates with SP 10.5T. Black stator sleeve with 10.5T engraved. Black sintered rotor, 12.3 dia, 7.25 core. Rotor with one balancing ring.	8.9.08
LRP	Vector X11 Stock Spec. Pt. # 50830		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Blue anodised ring. Chamfered mounting face. Sleeve etched "10.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black. Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end. Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	09.06.08 19.07.08
Novak	SS Pro. Pt. # 3410		Sensored system. "Y" Wind. Black moulded End-Bell with NOVAK. Blue plastic ring. Mounting face with or without chamfer. Stator marked "10.5 Turns". Nickel Plt. Sintered rotor, 12.3 dia, 7.25 core. Rotor shaft with plain bevel at pinion end.	14.04.08 28.04.08

Nosram	Spec.' Storm Evolution Pt. # 91830		<p>Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Blue anodised ring. Chamfered mounting face. Sleeve etched "10.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black.</p> <p>Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end.</p> <p>Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.</p>	<p>07.04.08.</p> <p>19.07.08.</p>
Paul Worsley. (EFRA Elec. Chairman) 23.01.17.				